

Quarantine Requirements for the Importation of Plants or Plant Products

(In case of any discrepancy between the Chinese text and the English translation thereof, the Chinese text shall govern.)

A. Prohibited Plants or Plant Products

Pursuant to Paragraph 1, Article 14, Plant Protection and Quarantine Act

1. List of prohibited plants or plant products:

Plants or Plant Products	Countries or Districts of Origin	Reasons for Prohibition
<p>3. Underground portion and adventitious root of all living plants, excluding the following plants:</p> <p>(1) <i>Agave</i> spp. (2) <i>Allium</i> spp. (3) <i>Anisomeles indica</i> (4) <i>Arctium lappa</i> L. (5) <i>Asparagus officinalis</i> (6) <i>Bryophyta</i> (7) <i>Cactaceae</i> (8) <i>Cannabis</i> spp. (9) <i>Codiaeum</i> spp. (10) <i>Dianthus</i> spp. (11) <i>Epipactis longifolia</i> (12) <i>Euphorbia</i> spp. (13) <i>Freesia</i> spp. (14) <i>Geranium</i> spp. (15) <i>Hyacinthus</i> spp. (16) <i>Iris</i> spp. (17) <i>Lilium</i> spp. (18) <i>Juglans</i> spp. (19) <i>Malus</i> spp. (20) <i>Marchantia polymorpha</i> (21) <i>Orchidaceae</i> (22) Other flower bulbs without fresh roots (excluding canna, <i>Musa</i> spp. and <i>Zingiberaceae</i>) (23) <i>Pelargonium</i> spp. (24) <i>Prunus</i> spp.(excluding <i>P. persica</i>) (25) <i>Pteridophyte</i> (26) <i>Rhododendron</i></p>	<p>Asia and Pacific Region</p> <p>(1) <u>American Samoa</u> (2) <u>Australia</u> <u>Northern Territory</u> <u>New South Wales</u> <u>Queensland</u> <u>South Australia</u> and <u>Western Australia</u> (3) <u>Palau</u> (4) <u>Brunei Darussalam</u> (5) <u>Cook Islands</u> (6) <u>Micronesia</u> (7) <u>Fiji</u> (8) <u>French Polynesia</u> (9) <u>Guam</u> (10) <u>India</u> (11) <u>Indonesia</u> (12) <u>Lebanon</u> (13) <u>Malaysia</u> (14) <u>Nepal</u> (15) <u>Niue</u> (16) <u>Norfolk Island</u> (17) <u>Oman</u> (18) <u>Pakistan</u> (19) <u>Papua New Guinea</u> (20) <u>Philippine</u> (21) <u>Samoa</u> (22) <u>Singapore</u> (23) <u>Solomon Islands</u> (24) <u>Sri Lanka</u> (25) <u>Thailand</u> (26) <u>Tonga</u> (27) <u>Vietnam</u> (28) <u>Yemen</u> Africa</p>	<p><i>Radopholus similis</i> [Cobb] Thorne; <i>R. citrophilus</i> Huettel, Dickson & Kaplan</p>

<p>spp.(excluding <u>R. indicum</u>)</p> <p>(27) <i>Rhoeo discolor</i></p> <p>(28) <u>Rosa</u> spp.</p> <p>(29) <i>Rubus</i> spp.</p> <p>(30) <i>Sagittaria</i> spp.</p> <p>(31) <i>Solanum tuberosum</i> tuber</p> <p>(32) <u>Tulipa</u> spp.</p> <p>(33) <u>Vitis vinifera</u></p>	<p>(29) All countries and districts in Africa</p> <p>Europe</p> <p>(30) Belgium</p> <p>(31) France</p> <p>(32) Germany</p> <p>(33) <u>Italy</u></p> <p>(34) Luxembourg</p> <p>(35) Netherlands</p> <p>(36) <u>Poland</u></p> <p>(37) <u>Republic of Slovenia</u></p> <p>(38) <u>United Kingdom</u></p> <p>North America</p> <p>(39) <u>Canada</u> <u>British Columbia</u></p> <p>(40) <u>Mexico</u></p> <p>(41) United States <input type="checkbox"/>excluding Alaska and California<input type="checkbox"/></p> <p>Central and South America</p> <p>(42) <u>Barbados</u></p> <p>(43) <u>Belize</u></p> <p>(44) <u>Bolivia</u></p> <p>(45) Brazil</p> <p>(46) Colombia</p> <p>(47) Costa Rica</p> <p>(48) Cuba</p> <p>(49) <u>Dominica</u></p> <p>(50) Dominican Republic</p> <p>(51) Ecuador</p> <p>(52) El Salvador</p> <p>(53) <u>French Guiana</u></p> <p>(54) <u>West Indies</u> <input type="checkbox"/>French<input type="checkbox"/></p> <p>(55) <u>Grenada</u></p> <p>(56) <u>Guadeloupe</u> <input type="checkbox"/>French<input type="checkbox"/></p> <p>(57) Guatemala</p> <p>(58) <u>Guyana</u></p> <p>(59) Honduras</p> <p>(60) Jamaica</p>	
--	--	--

	<p>(61) <u>Martinique</u> <u>French</u></p> <p>(62) Nicaragua</p> <p>(63) Panama</p> <p>(64) Peru</p> <p>(65) Puerto Rico</p> <p>(66) <u>Saint Kitts and Nevis</u></p> <p>(67) <u>Saint Lucia</u></p> <p>(68) <u>Saint Vincent and the Grenadines</u></p> <p>(69) <u>Trinidad And Tobago</u></p> <p>(70) <u>Suriname</u></p> <p>(71) <u>United States Virgin Islands</u></p> <p>(72) <u>Venezuela</u></p>	
<p>5. Entire or any part of the following living plants (excluding flowers, fruits, seeds)</p> <p>(1) <u>Calodendrum capense</u></p> <p>(2) <u>Catharanthus roseus</u></p> <p>(3) <u>Citrus</u> spp.</p> <p>(4) <u>Fortunella</u> spp.</p> <p>(5) <u>Poncirus</u> spp.</p>	<p>Asia and Pacific Region</p> <p>(1) <u>Saudi Arabia</u></p> <p>(2) <u>Yemen</u></p> <p>Africa</p> <p>(3) <u>Burundi</u></p> <p>(4) <u>Cameroon</u></p> <p>(5) <u>Central Africa</u></p> <p>(6) <u>Coromos</u></p> <p>(7) <u>Ethiopia</u></p> <p>(8) <u>Kenya</u></p> <p>(9) Lesotho</p> <p>(10) <u>Madagascar</u></p> <p>(11) <u>Malawi</u></p> <p>(12) <u>Mauritius</u></p> <p>(13) Reunion <u>French</u></p> <p>(14) <u>Rwanda</u></p> <p>(15) <u>Somalia</u></p> <p>(16) South Africa</p> <p>(17) <u>Swaziland</u></p> <p>(18) <u>Tanzania</u></p> <p>(19) <u>Zimbabwe</u></p>	<p><u>Liberibacter biberibaeter africanus (Carnier et al.)</u></p>
<p>37. Fresh fruits of the following plants:</p> <p>(1) <u>Abelmoschus esculentus</u></p> <p>(2) <u>Aegle marmelos</u></p> <p>(3) <u>Anacardium occidentale</u></p> <p>(4) <u>Annona</u> spp.</p> <p>(5) <u>Areca catechu</u></p>	<p>Asia and Pacific Region</p> <p>(1) Myanmar</p> <p>(2) India</p> <p>(3) China</p> <p>(4) Nepal</p> <p>(5) Pakistan</p> <p>(6) Philippine</p>	<p><u>Bactrocera correcta</u> <u>Bezzi</u></p>

<p>(6) <i>Artocarpus integer</i> (7) <i>Averrhoa carambola</i> (8) <i>Baccaurea racemosa</i> (9) <i>Bouea macrophylla</i> (10) <i>Bouea oppositifolia</i> (11) <u><i>Cananga odorata</i></u> (12) <i>Capparis</i> spp. (13) <i>Careya</i> spp. (14) <i>Carica papaya</i> (15) <i>Carissa carandas</i> (16) <u><i>Casimiroa edulis</i></u> (17) <u><i>Chrysophyllum</i> spp.</u> (18) <i>Citrus</i> spp. (19) <i>Coccinia grandis</i> (20) <i>Coffea</i> spp. (21) <i>Cucumis melo</i> (22) <u><i>Cydonia oblonga</i></u> (23) <i>Dimocarpus longan</i> <u>=<i>Euphoria longana</i></u> (24) <u><i>Diospyros</i> spp.</u> (25) <i>Dipterocarpus obtusifolius</i> (26) <i>Elaeocarpus madopetalu</i> (27) <u><i>Ficus carica</i></u> (28) <i>Flacourtia indica</i> (29) <i>Flacourtia jangomas</i> (30) <i>Fortunella</i> spp. (31) <u><i>Garcinia xanthochymus</i></u> (32) <u><i>Hylocereus</i> spp.; including</u> <u><i>H. undatus</i></u> (33) <i>Irvingia malayana</i> (34) <u><i>Jubaea</i></u> <u><i>spectabilis</i></u> (35) <i>Knema angustifolia</i> (36) <i>Lepisanthes fruticosa</i> (37) <u><i>Lycopersicon esculentum</i></u> (38) <i>Madhuca longifolia</i> (39) <i>Maerua siamensis</i> (40) <i>Malpighia emarginata</i>=<i>M.</i> <i>glabra</i> (41) <u><i>Malus sylvestris</i></u> (42) <i>Mangifera indica</i> (43) <i>Manilkara zapota</i>=<u><i>Achras</i></u> <u><i>sapota</i></u> (44) <i>Mimusops elengi</i></p>	<p>(7) Sri Lanka (8) Thailand (9) Vietnam</p>	
--	---	--

<p>(45) <i>Muntingia calabura</i> (46) <i>Musa paradisiaca</i> (47) <i>Olax scandens</i> (48) <i>Opuntia vulgaris</i> (49) <u><i>Phoenix dactylifera</i></u> (50) <i>Phyllanthus acidus</i> (51) <i>Polyalthia longifolia</i> (52) <i>Poncirus</i> spp. (53) <i>Prunus armeniaca</i> (54) <i>Prunus avium</i> (55) <i>Prunus cerasus</i> (56) <i>Prunus persica</i> (57) <i>Psidium guajava</i> (58) <u><i>Punica granatum</i></u> (59) <u><i>Pyrus communis</i></u> (60) <i>Ricinus communis</i> (61) <i>Sandoricum koetjape</i> (62) <i>Santalum album</i> (63) <i>Schoepfia fragrans</i> (64) <i>Securinega virosa</i> (65) <i>Spondias</i> spp. (66) <u><i>Strychnos potatorum</i></u> (67) <u><i>Syzygium</i> spp.=<i>Eugenia</i> spp.</u> (68) <i>Terminalia catappa</i> (69) <i>Walsura intermedia</i> (70) <u><i>Ziziphus</i> spp.</u></p>		
<p>51. Fresh fruits of the following plants: (1) <u><i>Anacardium occidentale</i></u> (2) <u><i>Annona</i> spp.</u> (3) <u><i>Capsicum</i> spp.</u> (4) <u><i>Carica papaya</i></u> (5) <u><i>Casimiroa</i> spp.</u> (6) <i>Citrus</i> spp. (7) <u><i>Coffea arabica</i></u> (8) <i>Cydonia oblonga</i> (9) <u><i>Diospyros kaki</i></u> (10) <u><i>Eriobotrya japonica</i></u> (11) <u><i>Feijoa sellowiana</i></u> (12) <u><i>Ficus</i> spp.</u> (13) <u><i>Fortunella</i> spp.</u> (14) <u><i>Inga</i> spp.</u> (15) <i>Lycopersicum esculentum</i> (16) <u><i>Malus</i> spp.</u></p>	<p><u>North America</u> (1) <u>Mexico</u> (2) United States □ Texas □ <u>Central and South America</u> (3) Belize (4) Costa Rica (5) El Salvador (6) Guatemala (7) Honduras (8) Nicaragua</p>	<p><i>Anastrepha ludens</i> □ Loew □</p>

<p>(17) <i>Mammea</i> spp. (18) <i>Mangifera indica</i> (19) <i>Manilkara zapota</i>=<i>Achras sapota</i> (20) <i>Mastichodendron capiri</i> (21) <i>Passiflora edulis</i> (22) <i>Persea americana</i> (23) <i>Poncirus</i> spp. (24) <i>Pouteria</i> spp. (25) <i>Prunus</i> spp. (26) <i>Psidium</i> spp. (27) <i>Punica granatum</i> (28) <i>Pyrus</i> spp. (29) <i>Sargentia greggii</i> (30) <i>Spondias</i> spp. (31) <i>Syzygium</i> spp. = <i>Eugenia</i> spp.</p>		
<p>52. Fresh fruits of the following plants: (1) <i>Ampelocera hottlei</i> (2) <i>Anacardium occidentale</i> (3) <i>Annona glabra</i> (4) <i>Annona hayesii</i> (5) <i>Averrhoa carambola</i> (6) <i>Brosimum alicastrum</i> (7) <i>Capsicum annuum</i> (8) <i>Chrysobalanus icaco</i> (9) <i>Citrus</i> spp. (10) <i>Coffea arabica</i> (11) <i>Couma guianensis</i> (12) <i>Diospyros</i> spp. (13) <i>Dovyalis hebecarpa</i> (14) <i>Eriobotrya japonica</i> (15) <i>Fortunella</i> spp. (16) <i>Malpighia glabra</i>=<i>M. glabra</i> (17) <i>Mangifera indica</i> (18) <i>Manilkara zapota</i> = <i>Achras sapota</i> (19) <i>Myrcia eximia</i> (20) <i>Myrciaria cauliflora</i> (21) <i>Myrciaria dubia</i> (22) <i>Passiflora edulis</i> (23) <i>Passiflora quadrangularis</i> (24) <i>Poncirus</i> spp.</p>	<p>North America (1) <u>Mexico</u> (2) United States □ Florida □ Texas □ Central and South America (3) <u>Antigua and Barbuda</u> (4) Argentina (5) Bahamas (6) Barbados (7) <u>Belize</u> (8) Brazil (9) <u>Virgin Islands</u> □ British □ (10) Costa Rica (11) Colombia (12) Cuba (13) Dominica (14) Dominican Republic (15) Ecuador (16) Grenada (17) <u>Guadeloupe</u> □ French □ (18) Guatemala (19) <u>Guyana</u> (20) Haiti (21) Honduras</p>	<p><i>Anastrepha obliqua</i> Macquart = A. <i>mombinpraeoptans</i> Sein</p>

<p>(25) <u>Pouteria</u> spp. (26) <u>Prunus</u> spp. (27) <u>Psidium</u> spp. (28) <u>Pyrus communis</u> (29) <u>Spondias</u> spp. (30) <u>Syzygium</u> spp. = <u>Eugenia</u> spp. (31) <u>Terminalia catappa</u> (32) <u>Vitis vinifera</u></p>	<p>(22) Jamaica (23) <u>Martinique</u> <input type="checkbox"/>French<input type="checkbox"/> (24) <u>Montserrat</u> <input type="checkbox"/>British<input type="checkbox"/> (25) Nicaragua (26) Panama (27) Paraguay (28) Peru (29) Puerto Rico (30) Saint Kitts and Nevis (31) Saint Lucia (32) Saint Vincent and the Grenadines (33) <u>Suriname</u> (34) <u>Trinidad And Tobago</u> (35) <u>United States Virgin Islands</u> (36) Venezuela</p>	
<p>53. Fresh fruits of the following plants:</p> <p>(1) <u>Actinidia chinensis</u> (2) <u>Ampelocera hottlei</u> (3) <u>Annona</u> spp. (4) <u>Averrhoa carambola</u> (5) <u>Citrus</u> spp. (6) <u>Chrysophyllum gonocarpum</u> (7) <u>Coffea arabica</u> (8) <u>Coffea liberica</u> (9) <u>Cydonia oblonga</u> (10) <u>Diospyros</u> spp. (11) <u>Dovyalis hebecarpa</u> (12) <u>Eriobotrya japonica</u> (13) <u>Feijoa sellowiana</u> (14) <u>Ficus carica</u> (15) <u>Fortunella</u> spp. (16) <u>Fragaria vesca</u> (17) <u>Inga</u> spp. (18) <u>Juglans</u> spp. (19) <u>Malus</u> spp. (20) <u>Mangifera indica</u> (21) <u>Manilkara zapota</u>=<u>Achras</u></p>	<p><u>North America</u> (1) <u>Mexico</u> (2) <u>United States</u><input type="checkbox"/>Texas<input type="checkbox"/> <u>Central and South America</u> (3) <u>Antigua</u> (4) Argentina (5) Bahamas (6) Barbados (7) Bolivia (8) Brazil (9) Colombia (10) <u>Costa Rica</u> (11) Cuba (12) Dominica (13) Dominican (14) Ecuador (15) Grenada (16) <u>Guatemala</u> (17) Guyana (18) Haiti (19) Jamaica (20) Nicaragua</p>	<p><u>Anastrepha fraterculus</u>(Wiedemann)</p>

<p><u>sapota</u></p> <p>(22) <u>Myrcianthes pungens</u></p> <p>(23) <u>Olea europaea</u></p> <p>(24) <u>Passiflora caerulea</u></p> <p>(25) <u>Persea americana</u></p> <p>(26) <u>Phyllanthus acidus</u></p> <p>(27) <u>Poncirus spp.</u></p> <p>(28) <u>Pouteria obovata</u></p> <p>(29) <u>Prunus spp.</u></p> <p>(30) <u>Psidium spp.</u></p> <p>(31) <u>Punica granatum</u></p> <p>(32) <u>Pyrus spp.</u></p> <p>(33) <u>Solanum quitoense</u></p> <p>(34) <u>Spondias spp.</u></p> <p>(35) <u>Syzygium spp.=Eugenia spp.</u></p> <p>(36) <u>Terminalia catappa</u></p> <p>(37) <u>Theobroma cacao</u></p> <p>(38) <u>Turpinia paniculata</u></p> <p>(39) <u>Vitis vinifera</u></p> <p>(40) <u>Ximenia americana</u></p>	<p>(21) Panama</p> <p>(22) <u>Paraguay</u></p> <p>(23) Peru</p> <p>(24) Puerto Rico</p> <p>(25) Saint Christopher</p> <p>(26) Saint Lucia</p> <p>(27) Saint Vincent</p> <p>(28) Suriname</p> <p>(29) <u>Trinidad and Tobago</u></p> <p>(30) Uruguay</p> <p>(31) Venezuela</p>	
<p>54. <u>Fresh fruits of the following plants:</u></p> <p>(1) <u>Alchornea latifolia</u></p> <p>(2) <u>Annona spp.</u></p> <p>(3) <u>Byrsonima crassifolia</u></p> <p>(4) <u>Capsicum annuum</u></p> <p>(5) <u>Carica papaya</u></p> <p>(6) <u>Carissa macrocarpa</u></p> <p>(7) <u>Citrofortunella × mitis</u></p> <p>(8) <u>Citrus spp.</u></p> <p>(9) <u>Cydonia oblonga</u></p> <p>(10) <u>Diospyros digyna</u></p> <p>(11) <u>Dovyalis hebecarpa</u></p> <p>(12) <u>Eriobotrya japonica</u></p> <p>(13) <u>Eugenia uniflora</u></p> <p>(14) <u>Ficus spp.</u></p> <p>(15) <u>Fortunella spp.</u></p> <p>(16) <u>Lacmellea panamensis</u></p> <p>(17) <u>Lycopersicon esculentum</u></p> <p>(18) <u>Malus spp.</u></p> <p>(19) <u>Mammea Americana</u></p> <p>(20) <u>Mangifera indica</u></p> <p>(21) <u>Moraceae</u></p> <p>(22) <u>Persea Americana</u></p> <p>(23) <u>Poncirus spp.</u></p> <p>(24) <u>Prunus avium</u></p> <p>(25) <u>Prunus persica</u></p>	<p><u>North America</u></p> <p>(1) <u>Mexico</u></p> <p>(2) <u>United States (Texas)</u></p> <p><u>Central and South America</u></p> <p>(3) Argentina</p> <p>(4) Brazil</p> <p>(5) Colombia</p> <p>(6) Costa Rica</p> <p>(7) <u>Dominica</u></p> <p>(8) Dominican Republic</p> <p>(9) Ecuador</p> <p>(10) Guyane □ French □</p> <p>(11) El Salvador</p> <p>(12) Guatemala</p> <p>(13) Guyana</p> <p>(14) Honduras</p> <p>(15) <u>Andeles Islands</u></p> <p>(16) Nicaragua</p> <p>(17) Panama</p> <p>(18) Peru</p> <p>(19) Suriname</p> <p>(20) <u>Trinidad and Tobago</u></p> <p>(21) Venezuela</p>	<p><i>Anastrepha serpentina</i> (Wiedemann)</p>

<p>(26) <i>Psidium guajava</i> (27) <i>Pyrus</i> spp. (28) <i>Sapotaceae</i> (29) <i>Spondias</i> spp. (30) <i>Syzygium malaccense</i> (31) <i>Terminalia catappa</i></p>		
<p>55. Following plants used for propagation (excluding seeds)□</p> <p>(1) <i>Acacia longifolia</i> (2) <i>Acer</i> spp. (3) <i>Aesculus californica</i> (4) <i>Alnus rhombifolia</i> (5) <i>Ampelopsis arborea</i> (6) <i>Artemisia douglasiana</i> (7) <i>Avena fatua</i> (8) <i>Baccharis pilularis</i> (9) <i>Baccharis salicifolia</i> (10) <i>Bromus</i> spp. (11) <i>Callicarpa americana</i> (12) <i>Callistephus chinensis</i> (13) <i>Canna</i> spp. (14) <i>Chenopodium ambrosioides</i> (15) <i>Chenopodium quinoa</i> (16) <i>Citrus</i> spp. (17) <i>Claytonia perfoliata</i> (18) <i>Coffea</i> spp. (19) <i>Conium maculatum</i> (20) <i>Coprosma baueri</i> (21) <i>Cotoneaster rotundifolia</i> (22) <i>Cynodon dactylon</i> (23) <i>Cyperus eragrostis</i> (24) <i>Cyperus esculentus</i> (25) <i>Cytisus scoparius</i> (26) <i>Daucus carota</i> var. <i>sativa</i> (27) <i>Digitaria sanguinalis</i> (28) <i>Duranta repens</i> (29) <i>Echinochloa crusgalli</i> (30) <i>Epilobium californicum</i> (31) <i>Epilobium paniculatum</i> (32) <i>Eragrostis diffusa</i> (33) <i>Erodium cicutarium</i> (34) <i>Escallonia montevidensis</i> (35) <i>Eugenia myrtifolia</i> (36) <i>Fortunella</i> spp.</p>	<p>North America (1) <u>United States</u> Central and South America (2) <u>Argentina</u> (3) <u>Brazil</u> (4) <u>Costa Rica</u> (5) <u>Paraguay</u> (6) <u>Venezuela</u></p>	<p><i>Xylella fastidiosa</i></p>

<p>(37) <u><i>Fragaria californica</i></u> (38) <u><i>Franseria acanthicarpa</i></u> (39) <u><i>Fraxinus dipetala</i></u> (40) <u><i>Fraxinus latifolia</i></u> (41) <u><i>Fuchsia magellanica</i></u> (42) <u><i>Genista monspessulana</i></u> (43) <u><i>Hedera helix</i></u> (44) <u><i>Heteromeles arbutifolia</i></u> (45) <u><i>Hordeum murinum</i></u> (46) <u><i>Hordeum vulgare</i></u> (47) <u><i>Hydrangea paniculata</i></u> (48) <u><i>Lactuca serriola</i></u> (49) <u><i>Lathyrus spp.</i></u> (50) <u><i>Liquidambar styraciflua</i></u> (51) <u><i>Lolium multiflorum</i></u> (52) <u><i>Lolium temulentum</i></u> (53) <u><i>Lonicera japonica</i></u> (54) <u><i>Majorana hortensis</i></u> (55) <u><i>Medicago hispida</i></u> (56) <u><i>Medicago sativa</i></u> (57) <u><i>Melilotus spp.</i></u> (58) <u><i>Melissa officinalis</i></u> (59) <u><i>Mentha spp.</i></u> (60) <u><i>Morus alba</i></u> (61) <u><i>Nerium oleander</i></u> (62) <u><i>Oenanthe sarmentosa</i></u> (63) <u><i>Oenothera hookeri</i></u> (64) <u><i>Parthenocissus quinquefolia</i></u> (65) <u><i>Parthenocissus tricuspidata</i></u> (66) <u><i>Paspalum dilatatum</i></u> (67) <u><i>Pelargonium hortorum</i></u> (68) <u><i>Pennisetum clandestinum</i></u> (69) <u><i>Phalaris minor</i></u> (70) <u><i>Phalaris paradoxa</i></u> (71) <u><i>Phleum pratense</i></u> (72) <u><i>Pittosporum crassifolium</i></u> (73) <u><i>Platanus occidentalis</i></u> (74) <u><i>Poa annua</i></u> (75) <u><i>Polygonum convolvulus</i></u> (76) <u><i>Polygonum persicaria</i></u> (77) <u><i>Poncirus spp.</i></u> (78) <u><i>Populus fremontii</i></u> (79) <u><i>Portulaca oleracea</i></u> (80) <u><i>Prunus spp.</i></u></p>		
--	--	--

<p>(81) <u>Quercus agrifolia</u> (82) <u>Quercus lobata</u> (83) <u>Reseda odorata</u> (84) <u>Rosa californica</u> (85) <u>Rosmarinus officinalis</u> (86) <u>Rubus spp.</u> (87) <u>Rumex crispus</u> (88) <u>Sambucus canadensis</u> (89) <u>Sambucus mexicana</u> (90) <u>Setaria lutescens</u> (91) <u>Sonchus asper</u> (92) <u>Sorghum halepense</u> (93) <u>Sorghum vulgare</u> (94) <u>Symphoricarpos albus</u> (95) <u>Syringa vulgaris</u> (96) <u>Toxicodendron diversilobum</u> (97) <u>Trifolium spp.</u> (98) <u>Ulmus spp.</u> (99) <u>Umbellularia californica</u> (100) <u>Urtica dioica</u> (101) <u>Veronica spp.</u> (102) <u>Vicia fava</u> (103) <u>Vicia monathus</u> (104) <u>Vinca major</u> (105) <u>Vitis spp.</u> (106) <u>Vulpia myuros var. hirsuta</u> (107) <u>Xanthium strumarium</u></p>		
---	--	--

B. Quarantine Requirements for Enterable Plants or Plant Products under Precautionary Requirements

Pursuant to Paragraph 2, Article 16, Plant Protection and Quarantine Act

- Names of enterable plants or plant products, countries or districts of their origin, and entry requirements.

Plants or Plant Products	Countries or Districts of Origin	Diseases or Pests	Quarantine Requirements
3. (delete)			
4. (delete)			
6. (delete)			
7. Stems, leaves, buds, tubers, and fresh fruits of the following living plants: (1) <u>Beta vulgaris var. saccharifera</u> (2) <u>Solanaceae</u>	Asia and Pacific Region (1) Australia (2) <u>Bangladesh</u> (3) <u>China</u> (4) Fiji (5) <u>French polynesia</u> (6) <u>Guam</u> (7) India (8) Indonesia (9) Iraq (10) Israel (11) Japan (12) Jordan (13) <u>Korea, Republic of</u> (14) Lebanon (15) Marquesas Islands (16) Myanmar (17) Nepal (18) New Caledonia (19) New Zealand (20) Pakistan (21) <u>Papua new guinea</u> (22) <u>Philippines</u> (23) <u>Russia</u> (24) Saudi Arabia (25) Sri Lanka (26) Syria (27) <u>Thailand</u> (28) Turkey (29) Vietnam (30) <u>Yemen</u> Africa (31) Algeria (32) <u>Burundi</u> (33) Canary Islands □ Spain □ (34) <u>Democratic Republic</u>	<i>Phthorimaea operculella</i> (Zeller)	The importation of the plants or plant parts shall be accompanied by phytosanitary certificate, issued by the plant quarantine authority of the exporting country, stating that the plants or plant parts have been thoroughly inspected and found free from <i>Phthorimaea operculella</i> (Zeller), or stating that the plants or plant parts have received appropriate

	<p style="text-align: center;">of the Congo</p> <p>(35) Republic of the Congo (36) Egypt (37) Ethiopia (38) Kenya (39) Lesotho (40) <u>Leberia</u> (41) Liberia (42) Madagascar (43) Malawi (44) <u>Mauritius</u> (45) Morocco (46) <u>Rwanda</u> (47) Reunion <input type="checkbox"/> French <input type="checkbox"/> (48) <u>St. Helena</u> (49) Senegal (50) Seychelles (51) South Africa (52) <u>Sudan</u> (53) Swaziland (54) <u>Tanzania</u> (55) Tanzania (56) Zambia (57) Zimbabwe</p> <p style="text-align: center;">Europe</p> <p>(58) Albania (59) Bulgaria (60) <u>Croacia</u> (61) Cyprus (62) France (63) Greece (64) Italy <input type="checkbox"/> Sardina and Sicily <input type="checkbox"/> (65) Malta (66) Portugal (67) Romania (68) <u>Serbia and Montenegro</u> (69) <u>Slovakia</u> (70) Spain</p> <p style="text-align: center;">North America</p> <p>(71) Canada (72) Mexico (73) <u>United States</u></p> <p style="text-align: center;">Central and South America</p> <p>(74) <u>Antigua</u> (75) Argentina (76) Bermuda <input type="checkbox"/> British <input type="checkbox"/> (77) Bolivia (78) Brazil</p>	<p>quarantine treatment prior to shipment.</p>
--	---	--

	(79)Chile (80)Colombia (81)Costa Rica (82)Cuba (83)Dominican Republic (84)Haiti (85)Jamaica (86)Netherlands antilles (87)Paraguay (88)Peru (89)Puerto Rico (90)Saint Vincent and the Grenadines (91)Uruguay (92)Venezuela		
14. Stems(excluding underground portion), leaves, buds, flowers and fresh fruits of the following living plants□ (1) <u>Aesculus</u> spp. (2) <u>Allium</u> spp. (3) <u>Alnus</u> spp. (4) <u>Alstroemeria</u> spp. (5) <u>Althaea</u> spp. (6) <u>Amaranthus</u> spp. (7) <u>Anagallis arvensis</u> (8) <u>Anthurium</u> spp. (9) <u>Antirrhinum majus</u> (10) <u>Asclepias</u> spp. (11) <u>Asparagus officinalis</u> (12) <u>Begonia</u> spp. (13) <u>Berzelia</u> spp. (14) <u>Bougainvillea spectabilis</u> (15) <u>Bouvardia</u> spp. (16) <u>Brassicaceae</u> (17) <u>Brunia laevis</u> (18) <u>Calceolaria</u> spp. (19) <u>Calluna vulgaris</u> =Erica vulgaris (20) <u>Calotropis gigantea</u> (21) <u>Carya illinoensis</u> (22) <u>Cassia obtusifolia</u> (23) <u>Celastrus</u> spp. (24) <u>Celosia</u> spp.	Asia and Pacific Region (1) Australia (2) China (3) <u>Georgia</u> (4) <u>Indonesia</u> (5) Israel (6) Japan (7) <u>Korea, Democratic People's Republic of</u> (8) <u>Korea, Republic of</u> (9) Kuwait (10) Malaysia (11) New Zealand (12) Russian (13) Lebanon (14) <u>Sri Lanka</u> (15) Thailand (16) Turkey Africa (17) Canary Islands □Spain□ (18) Kenya (19) Lesotho (20) Reunion□French□ (21) South Africa (22) Swaziland (23) Zimbabwe Europe (24) All countries and districts in Europe North America	<i>Frankliniella occidentalis</i> □Pergande□	The importation of the plants or plant parts shall be accompanied by phytosanitary certificate, issued by the plant quarantine authority of the exporting country, stating that the plants or plant parts have been thoroughly inspected and found free from <i>Frankliniella occidentalis</i> □ Pergande□, or stating that the plants or plant parts have received appropriate

(25) <u>Cerastium glomeratum</u>	(25) Canada	quarantine treatment prior to shipment.
(26) <u>Chamelaucium spp.</u>	(26) <u>Mexico</u>	
(27) <u>Chenopodiaceae</u>	(27) United States	
(28) <u>Citrus spp.</u>	Central and South America	
(29) <u>Codiaeum spp.</u>	(28) Argentina	
(30) Compositae	(29) Brazil	
(31) Cucurbitaceae	(30) Chile	
(32) <u>Cyclamen spp.</u>	(31) Dominican Republic	
(33) <u>Dianthus spp.</u>	(32) Ecuador	
(34) <u>Digitaria ciliaris</u>	(33) Guatemala	
(35) <u>Diospyros kaki</u>	(34) Colombia	
(36) <u>Echinochloa crus-galli</u>	(35) Costa Rica	
(37) <u>Echium plantagineum</u>	(36) <u>French Guiana</u>	
(38) <u>Eremurus spp.</u>	(37) <u>Cooperative Republic of Guyana</u>	
(39) <u>Eschscholzia californica</u>	(38) Martinique □ French □	
(40) <u>Euphorbia spp.</u>	(39) Peru	
(41) <u>Eustoma spp.</u> = <u>Lisianthus spp.</u>	(40) Puerto Rico	
(42) <u>Ficus spp.</u>	(41) <u>Uruguay</u>	
(43) <u>Freesia spp.</u>	(42) Venezuela	
(44) <u>Fuchsia spp.</u>		
(45) <u>Gentiana spp.</u>		
(46) <u>Geranium spp.</u>		
(47) <u>Gesneriaceae</u>		
(48) <u>Gladiolus spp.</u>		
(49) <u>Gossypium spp.</u>		
(50) <u>Gypsophila spp.</u>		
(51) <u>Heliotropium europium</u>		
(52) <u>Hemerocallis spp.</u>		
(53) <u>Hibiscus spp.</u>		
(54) <u>Hippeastrum spp.</u>		
(55) <u>Hordeum spp.</u>		
(56) <u>Hydrangea spp.</u>		
(57) <u>Hypericum spp.</u>		
(58) <u>Impatiens spp.</u>		
(59) <u>Ipomoea spp.</u>		
(60) <u>Iris spp.</u>		
(61) <u>Jasminum sambac</u>		
(62) <u>Kalanchoe spp.</u>		
(63) <u>Labiatae</u>		
(64) <u>Lantana spp.</u>		
(65) <u>Laurus spp.</u>		
(66) Leguminosae		

(67) <u>Leptospermum</u> spp.			
(68) <u>Leucospermum</u> spp.			
(69) <u>Lilium</u> spp.			
(70) <u>Limonium</u> spp.			
(71) <u>Linnaea borealis</u>			
(72) <u>Malva</u> spp.			
(73) <u>Mangifera indica</u>			
(74) <u>Mollugo verticillata</u>			
(75) <u>Oenothera</u> spp.			
(76) Orchidaceae			
(77) <u>Ornithogalum</u> spp.			
(78) <u>Oxalis</u> spp.			
(79) <u>Papaver rhoeas</u>			
(80) <u>Pelargonium</u> spp.			
(81) <u>Persea</u> spp.			
(82) <u>Pistacia vera</u>			
(83) <u>Polianthes</u> spp.			
(84) <u>Portulaca grandiflora</u>			
(85) <u>Primula</u> spp.			
(86) <u>Protea</u> spp.			
(87) <u>Punica granatum</u>			
(88) <u>Quercus</u> spp.			
(89) <u>Radermachera</u> spp.			
(90) <u>Ranunculaceae</u>			
(91) <u>Rhododendron</u> spp.			
(92) <u>Rhus</u> spp.			
(93) <u>Rosaceae</u>			
(94) <u>Ruscus</u> spp.			
(95) <u>Salix</u> spp.			
(96) <u>Sandersonia aurantiaca</u>			
(97) <u>Schlumbergera</u> spp.			
(98) <u>Secale cereale</u>			
(99) <u>Serissa foetida</u>			
(100) <u>Setaria viridis</u>			
(101) <u>Shepherdia</u> <u>Canadensis</u>			
(102) <u>Solanaceae</u>			
(103) <u>Stellaria</u> spp.			
(104) <u>Syzygium jambos</u> ≡ <u>Eugenia jambos</u>			
(105) <u>Thryptomene</u> spp.			
(106) <u>Tibouchina</u> spp.			
(107) <u>Trachelium</u> spp.			
(108) <u>Tribulus terrestris</u>			

<p>(109) <i>Triticum aestivum</i> (110) <i>Tropaeolum majus</i> (111) <u>Umbelliferae</u> (112) <u>Vaccinium spp.</u> (113) <u>Verbena spp.</u> (114) <u>Veronica spp.</u> (115) <u>Viburnum spp.</u> (116) <u>Viola tricolor</u> (117) <u>Vitis spp.</u> (118) <u>Yucca spp.</u> (119) <u>Zantedeschia spp.</u> (120) <u>Zea mays</u></p>			
<p>19. Plants or Plant Parts: A. The importation of roots, stems, leaves and flowers of all living plants and the fresh fruit of strawberry, excluding the plants listed below, shall meet the quarantine requirements as specified: (1) <u>Araceae</u> (2) <u>Aizoaceae</u> (excluding <i>Mollugo</i> spp.) (3) <u>Balsaminaceae</u> (4) <u>Basidiomycetes</u> (5) <u>Bombacaceae</u> (6) <u>Bryophyta</u> (7) <u>Cactaceae</u> (8) <u>Cornaceae</u> (excluding <i>Aucuba</i> spp.) (9) <u>Crassulaceae</u> (10) <u>Elaeocarpaceae</u> (11) <u>Ericaceae</u> (12) <u>Euphorbiaceae</u> (excluding <i>Manihot</i> spp.) (13) <u>Fagaceae</u> (14) <u>Gymnospermae</u> (15) <u>Lauraceae</u> (16) <u>Moraceae</u> (17) <u>Nymphaeaceae</u> (18) <u>Oleaceae</u> (excluding <i>Syringa</i> spp.) (19) <u>Orchidaceae</u></p>	<p>Asia and Pacific Region (1) Armenia (2) Azerbaijan (3) Australia (4) Belarus (5) <u>China</u> (6) Georgia (7) India (8) <u>Iran</u> (9) <u>Iraq</u> (10) Israel (11) Japan (12) <u>Jordan</u> (13) Kazakhstan (14) <u>Korea, Democratic People's Republic of</u> (15) <u>Korea, Republic of</u> (16) Kyrgyzstan (17) Lebanon (18) Republic of Moldova (19) <u>Mongolia</u> (20) New Zealand (21) <u>Oman</u> (22) Pakistan (23) Russian (24) Syrian Arab Republic (25) Tajikistan (26) Turkey (27) Trukmenistan (28) Thailand (29) Ukraine (30) Uzbekistan</p>	<p><i>Ditylenchus dipsaci</i> Kuhn & Filipjev</p>	<p><u>The importation of the plants or plant parts shall be accompanied by phytosanitary certificate, issued by the plant quarantine authority of the exporting country, stating that the plants or plant parts have been thoroughly inspected and found free from <i>Ditylenchus dipsaci</i> Kuhn & Filipjev, or stating that the plants or plant parts have received appropriate</u></p>

<p>(20) <u>Palmaceae</u></p> <p>(21) <u>Pandanaceae</u></p> <p>(22) <u>Plantaginaceae</u> (excluding <i>Plantago</i> spp.)</p> <p>(23) <u>Potamogetonaceae</u> (excluding <i>Potamogeton</i> spp.)</p> <p>(24) <u>Pteridophyte</u> (excluding <i>Equisetum</i> spp.)</p> <p>(25) <u>Rubiaceae</u> (excluding <i>Galium</i> spp.)</p> <p>(26) <u>Saxifragaceae</u> (excluding <i>Hydrangea</i> spp.)</p> <p>(27) <u>Scrophulariaceae</u> (excluding <i>Veronica</i> spp.)</p> <p>(28) <u>Sterculiaceae</u></p> <p>(29) <u>Tuberaceae</u></p> <p>(30) <u>Urticaceae</u>, (excluding <i>Urtica</i> spp.)</p> <p>(31) <u>Violaceae</u> (excluding <i>Viola</i> spp.)</p> <p>(32) <u>Vitaceae</u>, (excluding <i>Vitis vinifera</i>)</p> <p>(33) <u>Pyrus</u> spp.</p> <p>B. The importation of seeds of the following plants shall meet the quarantine requirements as specified</p> <p>(1) <u>Allium</u> spp.</p> <p>(2) <u>Beta vulgaris</u></p> <p>(3) <u>Cucumis melo</u></p> <p>(4) <u>Daucus carota</u></p> <p>(5) <u>Dipsacus fullonum</u></p> <p>(6) <u>Medicago sativa</u></p> <p>(7) <u>Phaseolus coccineus</u></p> <p>(8) <u>Phaseolus vulgaris</u></p> <p>(9) <u>phlox drummondii</u></p> <p>(10) <u>Pisum sativum</u> [except used as foods and feeds]</p> <p>(11) <u>Secale cereale</u></p> <p>(12) <u>Spinacea oleracea</u> = <u>Spinacia oleracea</u></p>	<p>(31) <u>Yemen</u></p> <p style="text-align: center;">Africa</p> <p>(32) Algeria</p> <p>(33) Egypt</p> <p>(34) Kenya</p> <p>(35) Lesotho</p> <p>(36) Libyan Arab Jamahiriya</p> <p>(37) Morocco</p> <p>(38) <u>Reunion</u> [French]</p> <p>(39) South Africa</p> <p>(40) Swaziland</p> <p>(41) Tunisia</p> <p style="text-align: center;">Europe</p> <p>(42) All countries and districts in Europe</p> <p>North America</p> <p>(43) Canada</p> <p>(44) <u>Mexico</u></p> <p>(45) United States</p> <p style="text-align: center;">Central and South America</p> <p>(46) All countries and districts in Central and South America</p>		<p>quarantine treatment prior to shipment.</p>
---	--	--	--

<p>(13) <i>Trifolium hybridum</i> (14) <i>Trifolium pratense</i> (15) <i>Trifolium repens</i> (16) <i>Vicia faba</i> [except used as foods and feeds]</p>			
<p>20. Underground portion and adventitious roots of the following living plants shall meet the quarantine requirements as specified</p> <p>(1) <i>Allium</i> spp. (2) <i>Amaranthus caudatus</i> (3) <i>Angelica sinensis</i> (4) <i>Anthemis arvensis</i> (5) <i>Apium graveolens</i> (6) <i>Arachis</i> spp. [including pods and seeds] (7) <i>Artemisia vulgaris</i> (8) <i>Barbarea vulgaris</i> (9) <i>Begonia</i> spp. (10) <i>Bellis perennis</i> (11) <i>Bertoroa incana</i> (12) <i>Beta vulgaris</i> (13) <i>Brassica chinensis</i> (14) <i>Brassica oleracea</i> (15) <i>Camellia sinensis</i> (16) <i>Camassia</i> spp. (17) <i>Canna</i> spp. (18) <i>Capsella bursa-pastoris</i> (19) <i>Capsicum annuum</i> (20) <i>Chenopodium album</i> (21) <i>Chionodoxa</i> spp. (22) <i>Chloris virgata</i> (23) <i>Chrysanthemum leucanthemum</i> (24) <i>Chrysanthemum morifolium</i> (25) <i>Cicer arietinum</i> (26) <i>Cimicifuga racemosa</i> (27) <i>Cirsium arvense</i> (28) <i>Citrullus lanatus</i> (29) <i>Citrus sinensis</i> (30) <i>Colchicum</i> spp. (31) <i>Crocus vernus</i></p>	<p>Asia and Pacific Region</p> <p>(1) Armenia (2) <u>Australia</u> [New South Wales] <u>South Australia</u> [Tasmania] <u>Victoria</u> [Western Australia] (3) Azerbaijan (4) Bangladesh (5) Belarus (6) China (7) Georgia (8) Iran (9) Iraq (10) Israel (11) <u>Japan</u> (12) <u>Korea, Democratic People's Republic of</u> (13) <u>Korea, Republic of</u> (14) Kazakhstan (15) Kyrgyzstan (16) Lebanon (17) Malaysia (18) Republic of Moldova (19) New Zealand (20) Pakistan (21) <u>Saudi Arabia</u> (22) Russian (23) Syrian Arab Republic (24) Tajikistan (25) Thailand (26) Turkey (27) Trukmenistan (28) Ukraine (29) Uzbekistan</p> <p>Africa</p> <p>(30) Algeria (31) Egypt (32) Lesotho</p>	<p><i>Ditylenchus destructor</i> Thorne</p>	<p><u>The importation of the plants or plant parts shall be accompanied by phytosanitary certificate, issued by the plant quarantine authority of the exporting country, stating that the plants or plant parts have been thoroughly inspected and found free from <i>Ditylenchus destructor</i> Thorne, or stating that the plants or plant parts have received appropriate quarantine treatment prior to shipment.</u></p>

(32) <u>Cucumis sativus</u>	(33) Libyan Arab Jamahiriya		
(33) <u>Cucurbita moschata</u>			
(34) <u>Cucurbita pepo</u>	(34) Morocco		
(35) <u>Cyperus rotundus</u>	(35) South Africa		
(36) <u>Dahlia</u> spp.	(36) Swaziland		
(37) <u>Datura stramonium</u>	(37) Tunisia		
(38) <u>Daucus carota</u>	Europe		
(39) <u>Dianthus</u> spp.	(38) All countries and districts in Europe		
(40) <u>Eleusine indica</u>	North America		
(41) <u>Elymus repens</u> = <u>Agropyron repens</u>	(39) All countries and districts in North America		
(42) <u>Erythronium denscanis</u>	Central and South America		
(43) <u>Festuca pratensis</u>	(40) <u>Ecuador</u>		
(44) <u>Fragaria</u> spp.	(41) Peru		
(45) <u>Fumaria officinalis</u>			
(46) <u>Gladiolus</u> spp.			
(47) <u>Glycine max</u>			
(48) <u>Helianthus annuus</u>			
(49) <u>Hordeum vulgare</u>			
(50) <u>Humulus lupulus</u>			
(51) <u>Hyacinthus</u> spp.			
(52) <u>Ipomoea batatas</u>			
(53) <u>Iris</u> spp.			
(54) <u>Lathyrus hirsutus</u>			
(55) <u>Lathyrus latifolius</u>			
(56) <u>Liatris spicata</u>			
(57) <u>Linaria vulgaris</u>			
(58) <u>Lycopersicon</u> <u>esculentum</u>			
(59) <u>Lycopsis arvensis</u>			
(60) <u>Matricaria inodora</u> = <u>M. perforata</u>			
(61) <u>Medicago sativa</u>			
(62) <u>Melilotus officinalis</u>			
(63) <u>Mentha arvensis</u>			
(64) <u>Narcissus</u> spp.			
(65) <u>Nectaroscordum</u> spp.			
(66) <u>Nicotiana tabacum</u>			
(67) <u>Panax ginseng</u>			
(68) <u>Pastinaca sativa</u>			
(69) <u>Phaseolus vulgaris</u>			
(70) <u>Plantago major</u>			
(71) <u>Portulaca</u> spp.			
(72) <u>Potentilla anserina</u>			

<p>(73) <i>Raphanus sativus</i> (74) <i>Rheum rhaponticum</i> (75) <i>Rumex</i> spp. (76) <i>Saccharum officinarum</i> (77) <i>Sisyrinchium angustifolium</i> (78) <i>Solanum</i> spp. (79) <i>Solidago graminifolia</i> = <i>S. anceolata</i> = <i>Euthamia graminifolia</i> (80) <i>Sonchus</i> spp. (81) <i>Stachys palustris</i> (82) <i>Stenotaphrum secundatum</i> (83) <i>Syringa vulgaris</i> (84) <i>Tagetes minuta</i> (85) <i>Taraxacum officinale</i>=<i>Leontodon taraxacum</i> (86) <i>Tigridia</i> spp. (87) <i>Trifolium</i> spp. (88) <i>Tripleurospermum maritimum</i> (89) <i>Triticum aestivum</i> (90) <i>Tropaeolum polyphyllum</i> (91) <i>Tulipa</i> spp. (92) <i>Tussilago farfara</i> (93) <i>Vicia sativa</i> (94) <i>Vigna unguiculata</i> = <i>V. sinensis</i> (95) <i>Xanthium strumarium</i> (96) <i>Zea mays</i></p>			
<p>21. Stems, leaves, buds, tubers and fresh fruits of the following living plants□ (1) <i>Lycopersicum esculentum</i> (2) <i>Solanum</i> spp.</p>	<p>Asia and Pacific Region (1) Armenia (2) Azerbaijan (3) Belarus (4) <u>China</u> (5) Georgia (6) <u>India</u> (7) <u>Indonesia</u> (8) Israel (9) Japan (10) Kazakhstan (11) <u>Korea, Republic of</u></p>	<p><i>Phytophthora infestans</i> A² Mating Type</p>	<p>The importation of the plants or plant parts shall be accompanied by phytosanitary certificate, issued by the plant quarantine</p>

	<p>(12)Kyrgyz (13)Republic of Moldova (14)<u>Nepal</u> (15)<u>Pakistan</u> (16) Russian Federation (17)Tajikistan (18)<u>Thailand</u> (19)Turkmenistan (20)Ukraine (21)Uzbekistan</p> <p style="text-align: center;">Africa</p> <p>(22)Egypt (23)<u>Morocco</u> (24)Rwanda</p> <p style="text-align: center;">Europe</p> <p>(25)<u>Austria</u> (26)<u>Belgium</u> (27)<u>Czech Republic</u> (28)<u>Denmark</u> (29)<u>Finland</u> (30)<u>France</u> (31)Germany (32)Estonia (33)<u>Hungary</u> (34)Ireland (35)<u>Italy</u> (36)Latvia (37)Lithuania (38)Netherlands (39)<u>Norway</u> (40)Poland (41)Sweden (42)<u>Switzerland</u> (43)United Kingdom</p> <p style="text-align: center;">North America</p> <p>(44)Canada (45)<u>Mexico</u> (46)United States</p> <p style="text-align: center;">Central and South America</p> <p>(47)<u>Argentina</u> (48)Bolivia (49)Brazil (50)Colombia (51)Ecuador (52)<u>Paraguay</u> (53)<u>Uruguay</u></p>		<p>authority of the exporting country, stating that the plants or plant parts have been thoroughly inspected and found free from <i>Phytophthora infestans</i> A² <u>Mating Type</u> and originate from areas free from <i>Phytophthora infestans</i> A² <u>Mating Type</u>; otherwise, the plants or plants parts will be destroyed or returned.</p>
25. (delete)			
26. Entire or any part of the following living plants□	<p style="text-align: center;">Asia and Pacific Region</p> <p>(1) Armenia</p>	<p><i>Rhizoglyphus echinopus</i> Fumouze</p>	<p><u>The importation of</u></p>

<p>excluding seeds□</p> <p>(1) <i>Allium</i> spp.</p> <p>(2) <i>Arctium lappa</i> L.</p> <p>(3) <i>Brassica oleracea</i> var. <i>capitata</i> L.</p> <p>(4) <i>Buxus microphylla</i> S. et Z. var. <i>intermedia</i>□ Kanehira□Li.</p> <p>(5) <i>Capsicum</i> spp.</p> <p>(6) <i>Curcuma longa</i> L. = <i>C. domestica</i> Val.</p> <p>(7) <i>Dahlia</i> spp.</p> <p>(8) <i>Daucus carota</i> L. var. <i>sativa</i> DC.</p> <p>(9) <i>Eucharis grandiflora</i> Planch. et Linden</p> <p>(10) <i>Freesia</i> spp.</p> <p>(11) <i>Gentiana scabra</i> Bunge var. <i>buergeri</i> Maxim</p> <p>(12) <i>Gladiolus</i> spp.</p> <p>(13) <i>Gloriosa</i> spp.</p> <p>(14) <i>Glycine max</i> Merrill.</p> <p>(15) <i>Hemerocallis Hybrid</i></p> <p>(16) <i>Hippeastrum</i> spp.</p> <p>(17) <i>Hyacinthus</i> spp. L.</p> <p>(18) <i>Ipomoea batatas</i></p> <p>(19) <i>Iris</i> spp.</p> <p>(20) <i>Lachenalia pendula</i></p> <p>(21) <i>Lilium</i> spp.</p> <p>(22) <i>Narcissus</i> spp.</p> <p>(23) <i>Panax</i> spp.</p> <p>(24) <i>Paeonia suffruticosa</i> Andr.</p> <p>(25) <i>Pinellia ternata</i></p> <p>(26) <i>Pleurotus sajor-caju</i> and <i>P. ostreatus</i></p> <p>(27) <i>Raphanus sativus</i> L.</p> <p>(28) <i>Secale cereale</i> L.</p> <p>(29) <i>Sinningia</i> spp.</p> <p>(30) <i>Solanum</i> spp.</p> <p>(31) <i>Tulipa</i> spp.</p> <p>(32) <i>Verbena officinalis</i></p> <p>(33) <i>Vicia faba</i> L.</p>	<p>(2) Azerbaijan</p> <p>(3) Belarus</p> <p>(4) China</p> <p>(5) Georgia</p> <p>(6) Kazakhstan</p> <p>(7) India</p> <p>(8) Iran</p> <p>(9) Israel</p> <p>(10) Japan</p> <p>(11) <u>Korea, Democratic People's Republic of</u></p> <p>(12) <u>Korea, Republic of</u></p> <p>(13) Kyrgyzstan</p> <p>(14) New Zealand</p> <p>(15) Republic of Moldova</p> <p>(16) Russian</p> <p>(17) Tajikistan</p> <p>(18) <u>Thailand</u></p> <p>(19) Trukmenistan</p> <p>(20) Ukraine</p> <p>(21) Uzbekistan</p> <p>(22) Vietnam</p> <p style="text-align: center;">Africa</p> <p>(23) Algeria</p> <p>(24) Egypt</p> <p>(25) Libyan Arab Jamahiriya</p> <p style="text-align: center;">Europe</p> <p>(26) Belgium</p> <p>(27) Denmark</p> <p>(28) Estonia</p> <p>(29) France</p> <p>(30) Germany</p> <p>(31) Netherlands</p> <p>(32) Hungary</p> <p>(33) Italy</p> <p>(34) Latvia</p> <p>(35) Lithuania</p> <p>(36) Poland</p> <p>(37) Romania</p> <p>(38) Spain</p> <p>(39) Switzerland</p> <p>(40) United Kingdom</p> <p style="text-align: center;">North America</p>	<p>and Robin</p>	<p><u>the plants or plant parts shall be accompanied by phytosanitary certificate, issued by the plant quarantine authority of the exporting country, stating that the plants or plant parts have been thoroughly inspected and found free from <i>Rhizoglyphus echinopus</i> Fumouze and Robin, or stating that the plants or plant parts have received appropriate quarantine treatment prior to shipment.</u></p>
---	--	------------------	--

	(41) Canada (42) United States □California □ Texas□ Central and South America (43) Argentina (44) Chile		
33. Entire or any part of the following living plants□ (1) <u>Cosmos bipinnatus</u> (2) <u>Cosmos sulphureus</u> (3) <u>Cosmos caudatus</u>	<u>Asia and Pacific Region</u> (1) <u>Japan</u> <u>Europe</u> (2) <u>Germany</u> <u>North America</u> (3) <u>Mexico</u> (4) <u>United States</u>	<u>Entyloma cosmi</u> <u>Vanky Horita & Jape</u> <u>and E. holwayi H. &</u> <u>P. Sydow</u>	<u>The</u> <u>importation of</u> <u>the plants or</u> <u>plant parts</u> <u>shall be</u> <u>accompanied</u> <u>by</u> <u>phytosanitary</u> <u>certificate,</u> <u>issued by the</u> <u>plant</u> <u>quarantine</u> <u>authority of</u> <u>the exporting</u> <u>country,</u> <u>stating that</u> <u>the plants or</u> <u>plant parts</u> <u>have been</u> <u>thoroughly</u> <u>inspected and</u> <u>found free</u> <u>from</u> <u>Entyloma</u> <u>cosmi Vanky</u> <u>Horita & Jape</u> <u>and E.</u> <u>holwayi H. &</u> <u>P. Sydow;</u> <u>otherwise, the</u> <u>plants or plant</u> <u>parts will be</u> <u>destroyed or</u> <u>returned.</u>

11. Wooden packaging materials which are used to load, to pack, to mat, to support or to fix the

commodity shall comply with “Quarantine Requirements for the Importation of Wooden Packaging Materials to Taiwan”.

Quarantine Requirements for the Importation of Wooden Packaging Materials to Taiwan (Draft)

1. As used in this requirement, “wooden packaging materials” (WPM) shall cover the WPM such as pallets, dunnage, crating, packing blocks, drums, cases, load boards, pallet collars and skids which are used to load, to pack, to mat, to support or to fix the commodity. The following WPM are not regulated by this requirement:

- 1.1 The thickness of WPM is less than 6 mm.
- 1.2 WPM is glued by heat and pressure.
- 1.3 WPM has been treated by paint or stain.
- 1.4 WPM has been treated by tar or other preservatives.
- 1.5 Cask with wine.


2. WPM shall be treated under the supervision of the plant quarantine authority of the exporting country according to ISPM 15 (International Standards for Phytosanitary Measures No. 15).

2.1 Methyl bromide (MB) fumigation: The minimum standard for methyl bromide fumigation treatment is as follows. The minimum temperature should not be less than 10°C and the minimum exposure time should be 24 hours.

Temperature	Dosage rate	Minimum concentration (g/m ³) at:			
		2hrs.	4hrs.	12hrs.	24hrs.
21°C or above	48	36	31	28	24
16°C or above	56	42	36	32	28
10°C or above	64	48	42	36	32

2.2 Heat treatment (HT): WPM should be heated in accordance with a specific time-temperature schedule that achieves a minimum wood core temperature of 56°C for a minimum of 30 minutes.

3. WPM has been treated by the approved measures should be marked according to ISPM 15. The specified mark is shown below:



The mark should at minimum include the:

- IPPC symbol
- XX: ISO two letter country code
- 000: a unique number assigned by the NPPO to the producer of the WPM, who is responsible for ensuring appropriate wood is used and properly marked
- YY: the approved measure used (MB: methyl bromide fumigation; HT: heat treatment)

4. WPM which does not carry the required mark would be returned or treated by MB fumigation or heat treatment mentioned above. The plant quarantine authority would request the goods with their WPM are returned in the following situation:

4.1 The WPM is too large or for some facts to be treated under the treatment facility in existence.

4.2 The WPM and the goods could not be separated and importers does not agree the goods be treated with the WPM.