

A	B	C	D	E	F	G
H	I	J	K	L	M	N
O	P	Q	R	S	T	U
V	W	X	Y	Z		

Botanical name Botaniese naam	Common name Gewone naam
<i>Actinidia</i> Lindl.	Kiwifruit/Kiwivrug
<i>Agrotriticum</i> Ciferri et Giacom (<i>Agropyron</i> x <i>Triticum</i>)	Agrotriticum
<i>Allium cepa</i> L.	Onion/Ui
<i>Allium porrum</i> L.	Leek/Prei
<i>Anthephora pubescens</i> Nees	Bottle brush grass/Borseltjiegras
<i>Anthurium</i> Schott	Anthurium
<i>Arachis hypogaea</i> L.	Groundnut/Grondboon
<i>Asparagus officinalis</i> L.	Asparagus/Aspersie
<i>Avena nuda</i> L.	Naked oats/Naakhawer
<i>Avena sativa</i> L. [incl. spp. previously known as/ insl. spp./ voorheen bekend as <i>A. byzantina</i>]	Oats/Hawer

<i>Beta vulgaris</i> L. subsp. <i>vulgaris</i> var. <i>alba</i> DC.	Fodder beet/Voerbeet
<i>Beta vulgaris</i> L. subsp. <i>vulgaris</i> var. <i>conditiva</i> Alef	Garden beet/Tuinbeet
<i>Beta vulgaris</i> L. subsp. <i>vulgaris</i> var. <i>flavescens</i> A.DC.	Swiss chard/Snybeet
<i>Brassica napus</i> L.	Forage rape/Weikool
<i>Brassica napus</i> L. var. <i>napobrassica</i> (L.) Rchb.	Swede/Sweedse raap
<i>Brassica oleracea</i> L. convar. <i>acephala</i> (DC.) Alef.	Fodder kale/Beeskool
<i>Brassica oleracea</i> L. convar. <i>acephala</i> (DC.) Alef. var. <i>gongylodes</i> L.	Kohlrabi/Knolkool
<i>Brassica oleracea</i> L. convar. <i>acephala</i> (DC.) Alef. var. <i>sabellica</i> L.	Curly kale/Boerkool

<i>Brassica oleracea</i> L. convar. <i>botrytis</i> (L.) Alef. var. <i>botrytis</i> L.	Cauliflower/Blomkool
<i>Brassica oleracea</i> L. convar. <i>botrytis</i> (L.) Alef. var. <i>cymosa</i> Duchesne	Broccoli/Brokkoli
<i>Brassica oleracea</i> L. convar. <i>capitata</i> (L.) Alef. var. <i>capitata</i> (L.) Alef.	Cabbage/Kopkool
<i>Brassica oleracea</i> L. convar. <i>capitata</i> (L.) Alef. var. <i>sabauda</i> L.	Savoy cabbage/Savojekool, Savoikool ..
<i>Brassica oleracea</i> L. convar. <i>oleracea</i> var. <i>gemmifera</i> DC.	Brussels sprouts/Brusselse spruitjies
<i>Brassica rapa</i> L. [incl./ insl. <i>B.</i> <i>campestris</i> L. and/ en spp. previously known as/ spp. voorheen bekend as <i>B.</i> <i>chinensis</i> and/ en <i>B. pekinensis</i>]	Turnip/Raap
<i>Bromus catharticus</i> Vahl, <i>B. sitchensis</i> Trin., <i>B. auleticus</i> Trin.	Rescue grass/Reddingsgras Alaska Brome grass

<i>Capsicum</i> L. (All/Alle spp.)	Peppers, Paprika/Rissies, Paprika
<i>Cenchrus ciliaris</i> L.	Blue buffalo grass/Bloubuffelgras
<i>Chamelaucium</i> Desf.	Waxflower/Wasblom
<i>Chloris gayana</i> Kunth	Rhodes grass/Rhodesgras
<i>Cichorium endiva</i> L.	Endive/Andyvie
<i>Cichorium intybus</i> L. <i>partim</i>	Witloof, Chicory/Sigorei
<i>Cichorium intybus</i> L. <i>partim</i>	Industrial chicory/Industriële sigorei
<i>Cichorium intybus</i> L. <i>partim</i>	Leaf chicory/Blaarsigorei
<i>Citrullus lanatus</i> (Thunb.) Matsum. & Naikai	Watermelon/Waatlemoen, Makataan
<i>Cucumis melo</i> L.	Sweet melon/Spanspek
<i>Cucumis sativus</i> L.	Cucumber/Komkommer
<i>Cucurbita maxima</i> Duchesne <i>ex</i> Lam	Pumpkin, Squash/Pampoen, Skorsie
<i>Cucurbita moschata</i> (Duchesne <i>ex</i> Lam) Duchesne <i>ex</i> Poir.	Pumpkin, Squash/Pampoen, Skorsie
<i>Cucurbita pepo</i> L.	Squash/Skorsie
<i>Cydonia</i> Mill	Quince/Kweper

<i>Dactylis glomerata</i> L.	Cocksfoot/Kropaargras
<i>Daucus carota</i> L.	Carrot/Geelwortel
<i>Desmodium intortum</i> (Mill.) Urb.	Green leaf desmodium/ Groenblaar-desmodium
<i>Desmodium uncinatum</i> (Jacq.) DC. ..	Silver leaf desmodium/Silwerblaardesmodium
<i>Digitaria smutsii</i> Stent	Smuts finger grass/Smutsvingergras

<i>Eragrostis curvula</i> (Schrad.) Nees	Weeping lovegrass/Oulandsgras
<i>Eragrostis tef</i> (Zuccagni) Trotter	Teff/Tefgras
<i>Erica</i> L.	Heather/Heide

<i>Festuca arundinacea</i> Schreb. & <i>F. pratensis</i> Huds.	Tall fescue/Langswenkgras
<i>Fragaria</i> L.	Strawberry/Aarbei

<i>Gerbera</i> Cass. (vegetative/vegetatief)	Gerbera/Barbertonse Madeliefie
<i>Glycine max</i> (L.) Merr.	Soya bean/Sojaboon
<i>Gossypium hirsutum</i> L.	Cotton/Katoen

<i>Helianthus annuus</i> L.	Sunflower/Sonneblom
<i>Hordeum vulgare</i> L.	Barley/Gars
<i>Humulus lupulus</i> L.	Hops
<i>Hydrangea</i> L.	Hydrangea/Krismisroos

<i>Ipomoea batatas</i> (L.) Lam.	Sweet potato/Patat
<i>Iris</i> L. (bulbous/bolvormende variëteite)	Iris

<i>Lactuca sativa</i> L.	Lettuce/Slaai
<i>Lespedeza cuneata</i> (Dum.-Cours.) G. Don.	Lespedeza
<i>Lespedeza striata</i> (Thunb.) Hook & Arn.	Lespedeza
<i>Leucadendron</i> R.Br.	Conebush/Tolbos
<i>Leucospermum</i> R.Br.	Pincushion/Speldekussing
<i>Lolium</i> L.	Ryegrass/Raaigras

<i>Lupinus albus</i> L.	White lupin/Wit lupien
<i>Lupinus angustifolius</i> L.	Narrow leaf lupin/Smalblaarlupien
<i>Lupinus luteus</i> L.	Yellow lupin/Geellupien
<i>Lycopersicon lycopersicum</i> L.	Tomato/Tamatie

<i>Malus</i> L. (fruit/vrugte)	Apple/Appel
<i>Malus</i> L. (rootstock/onderstam)	Apple roostocks/Appel onderstamme
<i>Medicago</i> L. (excluding <i>M. sativa</i>)	Medics
<i>Medicago sativa</i> L. (incl. spp. previously known as/insl. spp. voorheen bekend as <i>Medicago x varia</i>)	Lucerne/ Lusern

<i>Nicotiana tabacum</i> L.	Tobacco/ Tabak
----------------------------------	----------------------

<i>Olea europaea</i> L.	Olive/Olyf
Ornamentals in general	For those genera/species that have no form Vir genera/spesies sonder 'n spesifieke vorm
<i>Ornithogalum</i> L.	Chincherinchee/Tjienkerientjie
<i>Ornithopus compressus</i> L.	Yellow serradella/ Geel serradella
<i>Ornithopus sativus</i> Brot.	French/Pink Serradella
<i>Oryza sativa</i> L.	Rice/ Rys

<i>Panicum maximum</i> Jacq.	White buffalo grass/ Witbuffelgras
<i>Paspalum dilatatum</i> Poir.	Dallis grass/ Paspalum
<i>Passiflora</i> L.	Granadilla/Grenadilla
<i>Pastinaca sativa</i> L.	Parsnip/ Witwortel
<i>Pennisetum clandestinum</i> Hochst. ex Chiov	Kikuyu/ Kikoejoe
<i>Pennisetum glaucum</i> (L.) R. Br.	Pearl millet/ Babala
<i>Petroselinum crispum</i> (Mill.) Nyman ex A. W. Hill	Parsley/ Pietersielie
<i>Petunia</i> Juss.	Petunia
<i>Phalaris aquatica</i> L.	Phalaris
<i>Phaseolus coccineus</i> L.	Kidney bean/ Nierboon
<i>Phaseolus vulgaris</i> L.	Dry bean/ Droëboon
<i>Phaseolus vulgaris</i> L.	Garden bean/ (Runner)/ Tuinboon (Rank)
<i>Phaseolus vulgaris</i> L.	Garden bean/ (Dwarf)/ Tuinboon (Stam)

<i>Plectranthus</i> L'Herit.	Spurflower/Spoorsalie
<i>Pisum sativum</i> L. s. l.	Dry pea/ Droë ert
<i>Pisum sativum</i> L. s. l.	Garden pea/ Tuinert
<i>Protea</i> L.	Protea
<i>Prunus</i> spp. (rootstock/onderstam)	Prunus rootstocks/onderstamme
<i>Prunus dulcis</i> (Mill.) D. Webb (= <i>Prunus amygdalus</i> Batsch)	Almond/ Amandel
<i>Prunus armeniaca</i> L.	Apricot/ Appelkoos
<i>Prunus avium</i> (L.) L.	Sweet cherry/ Soetkersie
<i>Prunus cerasus</i> L.	Sour cherry/ Suurkersie
<i>Prunus domestica</i> L.	European Plum/ Pruimedant
<i>Prunus persica</i> (L.) Batsch & <i>Prunus persica</i> (L.) Batsch var. <i>nucipersica</i> Schneid	Peach/ Perske Nectarine/ Nektarien
<i>Prunus salicina</i> Lindl.	Japanese plum/ Japanese pruim
<i>Pyrus</i> L. (fruit/vrugte)	Pear/ Peer
<i>Pyrus</i> L. (rootstock/onderstam)	Pear rootstocks/Peer onderstamme

<i>Raphanus sativus</i> L. var. <i>oleiformis</i> Pers	Fodder radish/ Voerradys
<i>Raphanus sativus</i> L. var. <i>sativus</i> L.	Garden radish/ Tuinradys
<i>Ribes x nidigrolaria</i> R. & A. Bauer	Jostaberry/Jostabessie
<i>Ribes nigrum</i> L.	Black currant/Swart korent
<i>Ribes sylvestri</i> (Lam.) Mert. & WDJ Koch & <i>R. niveum</i> Lindl.	Red & White Currant/Rooi & Wit korent
<i>Ricinus communis</i> L.	Castor bean, Castor-oil-plant/ Kasterolie
<i>Rosa</i> L.	Rose/Roos
<i>Rubus</i> subgenus <i>Eubatus</i>	Blackberry/Swartbessie
<i>Rubus idaeus</i> L.	Raspberry/Framboos

<i>Saccharum</i> L.	Sugarcane/Suikerriet
<i>Schlumbergera</i> Lem. incl/insl. <i>Zygocactus</i> K. Schum.	Christmas cactus/Kersfeeskaktus
<i>Secale cereale</i> L.	Rye/ Rog
<i>Serruria</i> Salisb.	Spider bush/Spinnekopbos
<i>Setaria sphacelata</i> (Schumach) Stapf. & C. E. Hubb	Common setaria/ Gewone setaria
<i>Sinapis alba</i> L.	White mustard/ Witmosterd
<i>Solanum melongena</i> L.	Eggplant, Aubergine, Brinjal/Eiervrug

<i>Solanum tuberosum</i> L.	Potato/ Aartappel
<i>Sorghum bicolor</i> (L.) Moench	Grain sorghum/ Graansorghum
<i>Sorghum</i> spp. [<i>S. almum</i> Parodi, <i>S. sudanense</i> (Piper) Stapf and/en hybrids/hibriede]	Forage sorghum/Voersorghum
<i>Spathiphyllum</i> Schott	Spathiphyllum/Seilbootjie
<i>Stylosanthes hamata</i> (L.) Taub.	Caribbean stylo/Karibiese stylo

<i>Trifolium pratense</i> L.	Red clover/Rooiklawer
<i>Trifolium repens</i> L.	White clover/Witklawer
<i>Trifolium resupinatum</i> L.	Persian clover/Persiese klawer
<i>Trifolium subterraneum</i> L.	Subterranean clover/Ondergrondse klawer
x <i>Triticosecale</i> Witt. (<i>Triticum</i> x <i>Secale</i>)	Triticale/Korog
<i>Triticum aestivum</i> L. , nom. cons.	Wheat/Koring
<i>Triticum durum</i> Desf.	Durum wheat/Durumkoring

<i>Vaccinium corymbosum</i> L. & <i>Vaccinium myrtillus</i> L.	Blueberry/Bosbessie
<i>Vicia faba</i> L. var. <i>major</i> Harz	Broad bean/Boerboon
<i>Vicia sativa</i> L.	Common vetch/Gewone wick
<i>Vigna unguiculata</i> (L.) Walp. (including/insluitend <i>V. sinensis</i> (L.) Savi ex Hassk.; <i>Dolichos biflorus</i> L.)	Cowpea/Akkerboon
<i>Vitis</i> L.	Grape/Druif

<i>Zantedeschia</i> spp.	Arum lily/Aronskelk
<i>Zea mays</i> L.	White grain maize/Wit graanmielie
<i>Zea mays</i> L.	Yellow grain maize/Geel graanmielie
<i>Zea mays</i> L. var. <i>saccharata</i> Bailey	Sweetcorn, Popcorn/Soetmielie, Suikermielie, Springmielie